

Terminal, Bronze Bolted

By ANDERSON Catalog # TLS62TP

"Terminal, Bronze Bolted, Three Cables to Flat, Double Eyebolt Style, Cable Dia. Range 0.365"-1.152" to 3" Flat Pad with 4 Holes, Material: Castings-Bronze alloy, Eyebolt-High strength bronze, Hardware-silicon bronze or stainless steel"



*Representative Image

Features

- "Recommended for power or grounding applications
- Tin plating will be supplied"

General

Material	Bronze
Material - Clamping Hardware	Stainless Steel
Number of Ground Braid Lug Holes	0
Туре	Tap Lug
UPC	096359331896

Dimensions

Base Hole Spacing	0 in
Diameter - Base Holes	0 in
Diameter - Bolt	0 in
Diameter - Inside	0 in
Length - Coupling	0 in
Length Before Compression	0 in
Thickness - Mounting Pad	0.25 in
Maximum	
Weight	0.490 lb

Electrical Ratings

Maximum Current Rating 0 Amps Continuous

Conductor Related

Conductor Diameter - Maximum	0.813 in
Conductor Diameter - Minimum	0.325 in
Conductor Diameter Range	0.325 - 0.813
Conductor Type	Copper
Logistics	
Carton Quantity	60
Pallet Quantity	2160

Product Assets

Catalogs - Substation Connectors (SA) Video - Hubbell Power Systems 3D Portal to help with developing 3D models of substation connector products (VI05050E0619) Video - Hubbell Power Systems Quick Ship (VI05124E1018)



©2023 Hubbell Incorporated. All rights reserved. AN-TLS62TP-SPEC-EN | REV 9/2023