



Account Details

Account No.	9036149_USS6_10_10
Account	KENTUCKY ASSOC OF ELEC COOPS
Address	KENTUCKY ASSOC OF ELEC COOPS, 4300 CHAMPIONS TRACE LN, , LOUISVILLE, Kentucky, 40218, United States
Sales Org.	ABB Installation Products USA
Sales	Distribution
Currency	USD
As on Date	12-13-2024

Catalog No. ICS61-1

Product Details



UPC: 783786102334

Details: Aluminum 2-25/32 inch Service Entrance Compression Sleeve for Wire Range - End A: 8 Stranded, 6 Solid, Green, End B: 8 Stranded, 6 Solid, Green, Die: 5/8. For AL to AL and AL to CU Conductors.

Product Details

Details

Catalog No.	ICS61-1	UPC	783786102334
Description	INSUL.SERV. ENTRANCE SLEEVE	GSA Compliance	No
Std. Package Weight	0.060 LB	Discount Schedule	97
Product Family	97H	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	No standard price available. Book price displayed
Brand Name	BLACKBURN MECHANICAL	Package Qty.	500
Minimum Order Qty.	500	Country of Origin	Mexico


Specifications

General Characteristics

Category	Wire or cable compression splice
Type	Compression Splice Service Entrance
Special Features	Constructed from Aluminum for High Conductivity. Solid Center Barriers and large Chamfers for easy cable insertion. Tough Stabilized nylon sleeves resist installing tool Pressure and provide Reliable 600 V Insulation. Prefilled with Oxide Inhibitor to prevent Oxidation and keep out moisture. All Splices are Color Coded and Marked with trip lengths,
RoHS	RoHS3 Compliant
TSCA	TSCA Section 6(h) Compliant
	Splices have Colored End Caps to make Identification easy.
Application	For Standard Conductor Splice.
Connection	Compression
Conductor Range	End A: #8 STR , 6 SOL End B: #8 STR , 6 SOL
Number Of Conductors	2
Material	Aluminum
Insulation	yes
Mounting	None
Environmental Conditions	All Seasons / Conditions

Dimensions and Classifications

Brand Name	Blackburn
Standard	RUS Accepted. Complies with ANSI C119.4 when properly installed on Aluminum-to-Aluminum or Aluminum-to-Copper Conductors.
Size	2-25/32 inch


by ABB
electrification.us.abb.com

Created On: 12/13/2024