



Catalog No. W20-1

Product Details

UPC: 783786332021

Details: Aluminum Service Entrance Wedge Clamp and Slider for Wire  
Range: 1/0-4 ACSR, 1/0-4 AAAC, 2/0 Str.-2 Sol. , Color Code Blue



Product Details

Details

Catalog No.	W20-1
Description	AL SERVENTR WDGE CLAMP/SLDR 1/0-4
Std. Package Weight	0.240 LB
Product Family	97E
Restock Fee	
Customer Reference No.	
Brand Name	BLACKBURN MECHANICAL
Minimum Order Qty.	50


UPC	783786332021
GSA Compliance	No
Discount Schedule	97
CCC	
Currency	USD
Notes	No standard price available. Book price displayed
Package Qty.	50
Country Or Territory Of Origin	Mexico

General Characteristics

Category	Cable gland connector
Special Features	Drop wire may be cut to exact length for adjustments in drop wire sag. Can be attached to bare neutral at any point in the span. Flexible and rigid bails grip ACSR, AAC and AAAC Conductors.
Application	Dead-End Self-supporting Drop Wire
Conductor Range	1/0 to #4 ASCR AWG , 1/0 to #4 AAAC AWG , 2/0 STR AWG , #2 SOL AWG
Number Of Conductors	1
Material	Aluminum
Finish	Bare
Voltage Rating	35 kV
Insulation	None
Mounting	Yes
Connection	Tension
Environmental Conditions	All Seasons / Conditions

Dimensions and Classifications

Brand Name	Blackburn
Size	Length 12-1/2 in X Depth 2-3/8 in

 by ABB  
[electrification.us.abb.com](https://electrification.us.abb.com)

Created On: 09/04/2025