

Catalog No. ABS8500

Product Details

UPC: 783786687633



Details: Aluminum Screw-On Transformer Connectors - ABS In-line, single-line bar, cable range 6-500, length 9-13/16 inch, boot no. SB 2160, stud size 1, outlets 8

Product Details

Details

Catalog No.	ABS8500
Description	SCREWON TRANS CONN 6-500 1IN 8OUT
Std. Package Weight	1.500 LB
Product Family	91G
Restock Fee	
Customer Reference No.	
Brand Name	HOMAC
Minimum Order Qty.	20

UPC	783786687633
GSA Compliance	No
Discount Schedule	91
CCC	
Currency	USD
Notes	No standard price available. Book price displayed
Package Qty.	1
Country Or Territory Of Origin	United States

General Characteristics

Dimensions and Classifications

Category	Electrical underground bus connector	Brand Name	Homac
Special Features	High Strength Aluminum Alloy maintains constant bolting pressure on conductors. Dual-rated to accept Aluminum and Copper Conductors. Disconnectability for easy removal from transformer secondary threaded studs. Ball-bottom Screws ensure maximum conductor contact pressure and break up interstrand oxides.	Standard	ANSI C119.4
Size	9-13/16 inch		
RoHS	RoHS3 Compliant		
TSCA	TSCA Section 6(h) Compliant		
Connection	Mechanical		
Conductor Range	#6 to 500 kcmil		
Number Of Conductors	8		
Material	Aluminum		
Insulation	None		

by ABB

electrification.us.abb.com

Created On: 01/08/2026