

Terminal, Aluminum Bolted

By Anderson
Catalog # [ACF9B2](#)

Bolted Aluminum Straight Terminal, Cable to NEMA B2 2-hole Flat, Cable Diameter Range: 0.681-0.893 inches; For use with AAC and ACSR conductor



Features

- NEMA B2 2-Hole flat terminal
- Cable Diameter Range: 0.681-0.893 inches
- Conductor Ranges: 350 - 600 MCM AAC and 336 - 477 ACSR
- Material: Castings - 356-T6 aluminum alloy, Clamping Hardware - aluminum alloy
- Side formed tongues are standard to allow clearance for flush mounting. 45° and 90° angled tongues may be obtained by specifying desired angle in the catalog number along with which pad contact surface ("X" or "Y") should be machined. Example: ACF11CY90
- To obtain cable grooves coated with a petroleum base sealant, add "XB" suffix to catalog number. Example: ACF15DY90XB
- Clamping bolts have hex-stops for one-wrench installation.
- Contact sealant is recommended.

Conductor

Conductor Diameter - Maximum	0.893 in
Conductor Diameter - Minimum	0.681 in
Conductor Type	<ul style="list-style-type: none"> • AAC • ACSR
Conductor Compatibility	<ul style="list-style-type: none"> • ACSR-Merlin-336.4-18/1 • ACSR-Linnet-336.4-26/7 • ACSR-Oriole-336.4-30/7 • ACSR-Chickadee-397.5-18/1 • ACSR-Brant-397.5-24/7 • ACSR-Ibis-397.5-26/7 • ACSR-Lark-397.5-30/7 • ACSR-Pelican-477-18/1 • ACSR-Flicker-477-24/7 • ACSR-Hawk-477-26/7 • ACSR-Hen-477-30/7 • ACSR-Osprey-556.5-18/1 • ACSR-Brahma-203.2-16/19 • AAC-Canna-397.5-19 • AAC-Cosmos-477-19 • AAC-Syringa-477-37 • AAC-Zinnia-500-19 • AAC-Hyacinth-500-37 • AAC-Dahlia-556.5-19

- AAC-Mistletoe-556.5-37
- AAC-Meadowsweet-600-37

Configuration

Number of Bolt Holes	2
Number of Ground Braid Lug Holes	0
Number of Pad Holes	2

Current

Maximum Current Rating Amps Continuous	0
--	---

Dimensions

Length Before Compression	0 in
Angle - Pad	180 °
Length - Coupling	0 in
Length	2.688 in
Diameter - Bolt	0 in
Diameter - Base Holes	0 in
Base Hole Spacing	0 in
Width - Pad	2 in
Width	6.5 in
Weight	1.198 lb.
Height	1.313 in
Diameter - Inside	0 in
Dimensions	2.688 in x 6.5 in x 1.313 in

General

Material - Clamping Hardware	Aluminum Alloy
Material type	Standard
Type	Bolted Lugs & Terminals
Material	Aluminum
UPC	096359279990

Logistics

Pallet Quantity	1008
-----------------	------

Product Assets

[Catalog \[English\]](#)