



Catalog No. C26

### Product Details



UPC: 786210810614

Details: Non-Insulated Ring Terminal, Length .85 Inches, Width .38 Inches, Bolt Hole #10, Wire Range #12-#10 AWG, Copper, Tin Plated, 500 Pack

### Product Details

#### Details

Catalog No.	C26
Description	NON-INS RING TERM 12-10 BOLT NO10
Std. Package Weight	0.001 LB
Product Family	2AO
Restock Fee	0%
Customer Reference No.	
Brand Name	STA-KON
Minimum Order Qty.	500

UPC	786210810614
GSA Compliance	No
Discount Schedule	2A
CCC	
Currency	USD
Notes	No standard price available. Book price displayed
Package Qty.	500
Country Or Territory Of Origin	United States

General Characteristics

Dimensions and Classifications

Category	Electrical terminals
Special Features	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Voltage Rating	600 V
Material	Copper
Color	Metallic
RoHS	RoHS3 Compliant
REACH	REACH 240 Compliant
TSCA	TSCA Section 6(h) Compliant

Brand Name	Sta-Kon
Standard	UL E9809
Wire Size	12-10 AWG

ETIM Classification

ETIM	EC001052 Solderless copper terminals for copper conductors
Flange shape	Ring shape
Insulation	None
Reel packaging	N

ETIM	EC001052 Solderless copper terminals for copper conductors
Material	Copper
Surface protection	Tinned
Stud size (imperial)	10

 by ABB  
[electrification.us.abb.com](http://electrification.us.abb.com)

Created On: 02/24/2026