







ITEM NO.	PART NUMBER	DESCRIPTION	DESCRIPTION 2	QTY
1	FB-264-4000-2	BEAM, PULTRUDED STOCK	SERIES 4000 x 264 in, GRAY	1
2	TG0813-0053	BUSHING	13/16 in x 5-1/4 in	5
3	TG0813-0054	BUSHING	13/16 in x 3-1/4 in	4
4	FOAM	-	-	1
5	EC40-0006-2	END CAP	SERIES 4000, GRAY	2
6	DM-0006	MOUNT ASSEMBLY, DEADEND	4KLH	2
7	HBO750-0003	HEX BOLT	3/4 in - 10 x 6 in	4
8	LW0750-0001	LOCK WASHER	3/4 in	9
9	HN0750-0001	HEX NUT	3/4 in - 10	4
10	SW0813-0005	SQUARE WASHER	13/16 in, 4 in x 3/8 in	10
11	EN0750-0002	EYE NUT	3/4 in - 10	10
12	TR0750-0003	THREADED ROD	3/4 in - 10 x 9-1/2 in	5

**PUPI**<sup>®</sup>  
www.pupicrossarms.com

REVISIONS				
REV.	DESCRIPTION	DATE	INITIALS	ECO



NOTES:  
 1. CENTER OF MOUNT HOLE(S) TO HOLES TOLERANCE ±0.06  
 2. CALCULATED AVERAGE ULTIMATE LONGITUDINAL LOAD = 19,500 LBS PER WIRE, 4 WIRES AT ±40 & ±126 = 13,000 LBS PER WIRE, 5 WIRES AT 0, ±40 & ±126  
 3. CALCULATED AVERAGE ULTIMATE VERTICAL LOAD = 7,500 LBS PER WIRE, 4 WIRES AT ±40 & ±126 = 5,500 LBS PER WIRE, 5 WIRES AT 0, ±40 & ±126  
 4. USE 3/4" HARDWARE TO ATTACH DEADEND MOUNTS TO POLES (**NOT SUPPLIED BY GEOTEK**)  
 5. GEOTEK RECOMMENDS MAXIMUM APPLIED LOAD PER WIRE DOES NOT EXCEED 50% OF THE AVERAGE ULTIMATE STRENGTH PER WIRE OF THE CROSSARM

<b>---UNLESS OTHERWISE SPECIFIED---</b>		
DIMENSIONS ARE IN INCHES INTERPRET DIM AND TOL PER ASME Y14.5-2009 ANGULAR: MACH ±2° BEND ±2° ONE PLACE DECIMAL ±0.1 TWO PLACE DECIMAL ±0.02		
<b>PROPRIETARY AND CONFIDENTIAL</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GEOTEK. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GEOTEK IS PROHIBITED.		
CUSTOMER SIGNATURE:	DATE:	STATE: REVIEW 2026-02-11 DRAWN: STK 2026-02-11 CHECKED: AKS 2026-02-11 APPROVED: 2023-05-11 REPLACES: -
THIRD ANGLE PROJECTION 		<b>-REFERENCES-</b> pupicrossarms.com/warranty geotek.com/termsandconditions

**GEOTEK**  
*A Whole New World of Composites*

1421 SECOND AVE NW  
STEWARTVILLE, MN 55976  
(800) 533-1680  
www.geotek.com

DESCRIPTION:  
**DEADEND ASSEMBLY, SERIES 4000**  
**264 in, CUSTOM SPECIFICATION**

SIZE: DWG. NO.	BEAM COLOR:	REV:
<b>B DD4000264E54552</b>	GRAY	0.0
SCALE: 1:16	WEIGHT: 198 LBS	SHEET 1 OF 1