



Account Details

Account No.	9036149_USS6_10_10
Account	KENTUCKY ASSOC OF ELEC COOPS
Address	KENTUCKY ASSOC OF ELEC COOPS, 4300 CHAMPIONS TRACE LN, , LOUISVILLE, Kentucky, 40218, United States
Sales Org.	ABB Installation Products USA
Sales	Distribution
Currency	USD
As on Date	01-23-2025

Catalog No. IPC1102

Product Details



UPC: 783786331109

Details: Type IPC - Talon Insulation Piercing Connector for Conductor
Range Main: 1/0-8 AWG, 50-6 MM sq., Tap: 2-8 AWG, 35-6 MM sq.

Product Details

Details

Catalog No.	IPC1102
Description	TALON INSUL CONN 1/0-8 2-8
Std. Package Weight	0.260 LB
Product Family	1GF
Restock Fee	
Customer Reference No.	
Brand Name	BLACKBURN MECHANICAL
Minimum Order Qty.	30


UPC	783786331109
GSA Compliance	No
Discount Schedule	1G
CCC	
Currency	USD
Notes	
Package Qty.	30
Country of Origin	Mexico

General Characteristics		Dimensions and Classifications	
Category	Mechanical connectors	Brand Name	Blackburn
Special Features	For copper-to-copper, copper-to-aluminum and aluminum-to-aluminum applications (insulated conductor only). Performs as splice or tab for non-tension applications up to 600 volts, depending on size of connector.	Standard	UL E9809
Color	Black		
Voltage Rating	600 V		
Temperature Rating	Max 90 C		
RoHS	RoHS3 Compliant		
TSCA	TSCA Section 6(h) Compliant		

ETIM Classification

ETIM	EC001062 Branch terminal
Material main conductor	Aluminium/copper
Type of connection	Insulation piercing connector IPC

ETIM Classification	
ETIM	EC001062 Branch terminal
Material main conductor	Aluminium/copper
Type of connection	Insulation piercing connector IPC

 by ABB
electrification.us.abb.com

Created On: 01/23/2025