



Account Details

Account No. 9036149_USS6_10_10
Account KENTUCKY ASSOC OF ELEC
COOPS
Address KENTUCKY ASSOC OF ELEC
COOPS, 4300 CHAMPIONS TRACE
LN, , LOUISVILLE, Kentucky, 40218,
United States
Sales Org. ABB Installation Products USA
Sales Distribution
Currency USD
As on Date 01-30-2024

Catalog No. L750N

Product Details



UPC: 783786739455

Details: Tin Plated Copper Two-Hole Straight NEMA Lugs. wire size 750 kcmil CU. Installing Dies 106, 1 5/16. Length 7 inch. Pad 1-3/4 inch wide x 3-1/8 inch long x 9/32 inch thick. (2) 9/16 inch holes on 1-3/4 inch center. Barrel 2-13/16 inch. CSA. UL listed.

Product Details

Details

Catalog No.	L750N	UPC	783786739455
Description	CU TINPLT 2HL NEMA LUG SZ750 1/2IN	GSA Compliance	No
Std. Package Weight	1.080 LB	Discount Schedule	92
Product Family	92D	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	
Brand Name	HOMAC	Package Qty.	10
Minimum Order Qty.	10	Country of Origin	United States


Specifications

General Characteristics

Category	Wire connectors
Type	Compression Lug Two Hole
Special Features	Tin-Plated to resist corrosion. Produced from seamless electrolytic copper tubing which provides high conductivity and minimizes voltage drop. Marked with a catalog number, conductor sizes and die references.
Application	General Applications
Connection	Compression
Material	Copper
Finish	Tin Plated
Insulation	None

Dimensions and Classifications

Brand Name	Homac
Standard	UL E9809. CSA LR35518.
Size	7 inch X 1-3/4 inch wide
Wire Size	750 kcmil


by ABB
electrification.us.abb.com

Created On: 01/30/2024