

Taft Utility Post Top LED 2 (PTUE2)

OVERVIEW

Typical applications for Taft LED include up to 250 watt replacement in city streets, downtown renovation, historical districts, campuses, residential areas, parking lots, parks and walkways. Engineered around our tried and true prismatic optical refractor, the vintage styling of the Taft LED post-top lantern series has adorned urban streets and parks since the early 20th century. Second generation LED technology has been combined with timeless architectural design to meet the modern needs of sustainability and energy management. Keep the look you want along with the performance you need, all while hitting your sustainability goals and keeping the Earth a little greener.



The product images shown are for illustration purposes only and may not be an exact representation of the product.

Warranty: www.acuitybrands.com/support/customer-support/terms-and-conditions

ORDERING INFORMATION		PTUE2 P20 40K MVOLT GL3 BK BL PR3					
Series*		Performance Package*		Color Temperature*		Voltage*	
PTUE2	Taft Utility Post Top LED 2	P10	P10 performance package	27K	2700K	HVOLT	347-480V
		P20	P20 performance package	30K	3000K	MVOLT	120-277V
		P30	P30 performance package	40K	4000K		
		P40	P40 performance package	50K	5000K		
		P50	P50 performance package				
Optics*		Finish*					
AL3	Type III Acrylic Refractor	BK	Black	RAL1001	RAL1001 Beige	RAL1013	RAL1013 Oyster White
AL5	Type V Acrylic Refractor	BZ	Bronze	RAL1002	RAL1002 Sand Yellow	RAL1014	RAL1014 Ivory
GL3	Glass asymmetric, type III	CMC	Custom matched color	RAL1003	RAL1003 Signal Yellow	RAL1015	RAL1015 Light Ivory
PY3	Type 3 Polycarbonate Refractor	CTBS	Color to be selected	RAL1004	RAL1004 Golden Yellow	RAL1016	RAL1016 Sulfur Yellow
PY5	Type 5 Polycarbonate Refractor	GH	Graphite	RAL1005	RAL1005 Honey Yellow	RAL1017	RAL1017 Saffron Yellow
		GN	Green	RAL1006	RAL1006 Maize Yellow	RAL1018	RAL1018 Zinc Yellow
		GR	Gray	RAL1007	RAL1007 Daffodil Yellow	RAL1019	RAL1019 Grey Beige
		PP	Prime paint	RAL1011	RAL1011 Brown Beige	RAL1020	RAL1020 Olive Yellow
		RAL	RAL color	RAL1012	RAL1012 Lemon Yellow	RAL1021	RAL1021 Colza Yellow

Finish* (Cont...)

RAL1023	RAL1023 Traffic Yellow	RAL2002	RAL2002 Vermilion	RAL3001	RAL3001 Signal Red	RAL3013	RAL3013 Tomato Red
RAL1024	RAL1024 Ochre Yellow	RAL2003	RAL2003 Pastal Orange	RAL3002	RAL3002 Carmine Red	RAL3014	RAL3014 Antique Pink
RAL1027	RAL1027 Curry	RAL2004	RAL2004 Pure Orange	RAL3003	RAL3003 Ruby Red	RAL3015	RAL3015 Light Pink
RAL1028	RAL1028 Melon Yellow	RAL2008	RAL2008 Bright Red Orange	RAL3004	RAL3004 Purple Red	RAL3016	RAL3016 Coral Red
RAL1032	RAL1032 Broom Yellow	RAL2009	RAL2009 Traffic Orange	RAL3005	RAL3005 Wine Red	RAL3017	RAL3017 Rose
RAL1033	RAL1033 Dahlia Yellow	RAL2010	RAL2010 Signal Orange	RAL3007	RAL3007 Black Red	RAL3018	RAL3018 Strawberry Red
RAL1034	RAL1034 Pastel Yellow	RAL2011	RAL2011 Deep Orange	RAL3009	RAL3009 Oxide Red	RAL3020	RAL3020 Traffic Red
RAL2000	RAL2000 Yellow Orange	RAL2012	RAL2012 Salmon Orange	RAL3011	RAL3011 Brown Red	RAL3022	RAL3022 Salmon Pink
RAL2001	RAL2001 Red Orange	RAL3000	RAL3000 Flame Red	RAL3012	RAL3012 Beige Red	RAL3027	RAL3027 Raspberry Red

Finish* (Cont...)

RAL3031	RAL3031 Orient Red	RAL4009	RAL4009 Pastel Violet	RAL5007	RAL5007 Brilliant Blue	RAL5017	RAL5017 Traffic Blue
RAL4001	RAL4001 Red Lilac	RAL4010	RAL4010 Telemagenta	RAL5008	RAL5008 Grey Blue	RAL5018	RAL5018 Turquoise Blue
RAL4002	RAL4002 Red Violet	RAL5000	RAL5000 Violet Blue	RAL5009	RAL5009 Azure Blue	RAL5019	RAL5019 Capri Blue
RAL4003	RAL4003 Heather Violet	RAL5001	RAL5001 Green Blue	RAL5010	RAL5010 Gentian Blue	RAL5020	RAL5020 Ocean Blue
RAL4004	RAL4004 Claret Violet	RAL5002	RAL5002 Ultramarine Blue	RAL5011	RAL5011 Steel Blue	RAL5021	RAL5021 Water Blue
RAL4005	RAL4005 Blue Lilac	RAL5003	RAL5003 Sapphire Blue	RAL5012	RAL5012 Light Blue	RAL5022	RAL5022 Night Blue
RAL4006	RAL4006 Traffic Purple	RAL5004	RAL5004 Black Blue	RAL5013	RAL5013 Cobalt Blue	RAL5023	RAL5023 Distant Blue
RAL4007	RAL4007 Purple Violet	RAL5005	RAL5005 Signal Blue	RAL5014	RAL5014 Pigeon Blue	RAL5024	RAL5024 Pastel Blue
RAL4008	RAL4008 Signal Purple	RAL5006	RAL5006 Brilliant Blue	RAL5015	RAL5015 Sky Blue	RAL6000	RAL6000 Pastina Green

Finish* (Cont...)

RAL6001	RAL6001 Emerald Green	RAL6010	RAL6010 Grass Green	RAL6019	RAL6019 Pastel Green	RAL6029	RAL6029 Mint Green
RAL6002	RAL6002 Leaf Green	RAL6011	RAL6011 Reseda Green	RAL6020	RAL6020 Chrome Green	RAL6032	RAL6032 Signal Green
RAL6003	RAL6003 Olive Green	RAL6012	RAL6012 Black Green	RAL6021	RAL6021 Pale Green	RAL6033	RAL6033 Mint Turquoise
RAL6004	RAL6004 Blue green	RAL6013	RAL6013 Reed Green	RAL6022	RAL6022 Olive Drab	RAL6034	RAL6034 Pastel Turquoise
RAL6005	RAL6005 Moss Green	RAL6014	RAL6014 Yellow Olive	RAL6024	RAL6024 Traffic Green	RAL7000	RAL7000 Squirrel Grey
RAL6006	RAL6006 Grey Olive	RAL6015	RAL6015 Black Olive	RAL6025	RAL6025 Fern Green	RAL7001	RAL7001 Silver Grey
RAL6007	RAL6007 Bottle Green	RAL6016	RAL6016 Turquoise Green	RAL6026	RAL6026 Opal Green	RAL7002	RAL7002 Olive Grey
RAL6008	RAL6008 Brown Green	RAL6017	RAL6017 May Green	RAL6027	RAL6027 Light Green	RAL7003	RAL7003 Moss Grey
RAL6009	RAL6009 Fir Green	RAL6018	RAL6018 Yellow Green	RAL6028	RAL6028 Pine Green	RAL7004	RAL7004 Signal Grey

Finish* (Cont...)

RAL7005	RAL7005 Mouse Grey	RAL7016	RAL7016 Anthracite Grey	RAL7033	RAL7033 Cement Grey	RAL7043	RAL7043 Traffic Grey B
RAL7006	RAL7006 Beige Grey	RAL7021	RAL7021 Black Grey	RAL7034	RAL7034 Yellow Grey	RAL7044	RAL7044 Silk Grey
RAL7008	RAL7008 Khaki Grey	RAL7022	RAL7022 Umbra Grey	RAL7035	RAL7035 Light Grey	RAL7045	RAL7045 Telegrey 1
RAL7009	RAL7009 Green Grey	RAL7023	RAL7023 Concrete Grey	RAL7036	RAL7036 Platinum Grey	RAL7046	RAL7046 Telegrey 2
RAL7010	RAL7010 Tarpaulin Grey	RAL7024	RAL7024 Graphite Grey	RAL7037	RAL7037 Dusty Grey	RAL7047	RAL7047 Telegrey 4
RAL7011	RAL7011 Iron Grey	RAL7026	RAL7026 Granite Grey	RAL7038	RAL7038 Agate Grey	RAL8000	RAL8000 Green Brown
RAL7012	RAL7012 Basalt Grey	RAL7030	RAL7030 Stone Grey	RAL7039	RAL7039 Quartz Grey	RAL8001	RAL8001 Ochre Brown
RAL7013	RAL7013 Brown Grey	RAL7031	RAL7031 Blue Grey	RAL7040	RAL7040 Window Grey	RAL8002	RAL8002 Signal Brown
RAL7015	RAL7015 Slate Grey	RAL7032	RAL7032 Pebble Grey	RAL7042	RAL7042 Traffic Grey A	RAL8003	RAL8003 Clay Brown

Finish* (Cont...)

RAL8007	RAL8007 Fawn Brown	RAL8022	RAL8022 Black Brown	RAL9005	RAL9005 Jet Black	BL	Ball finial, painted cast aluminum
RAL8008	RAL8008 Olive Brown	RAL8023	RAL8023 Orange Brown	RAL9010	RAL9010 Pure White	NF	No finial
RAL8011	RAL8011 Nut Brown	RAL8024	RAL8024 Beige Brown	RAL9011	RAL9011 Graphite Black	SK	Spike finial
RAL8012	RAL8012 Red Brown	RAL8025	RAL8025 Pale Brown	RAL9016	RAL9016 Traffic White		
RAL8014	RAL8014 Sepia Brown	RAL8028	RAL8028 Terra Brown	RAL9017	RAL9017 Traffic Black		
RAL8015	RAL8015 Chestnut Brown	RAL9001	RAL9001 Cream	RAL9018	RAL9018 Papyrus White		
RAL8016	RAL8016 Mahogany Brown	RAL9002	RAL9002 Grey White	WH	White		
RAL8017	RAL8017 Chocolate Brown	RAL9003	RAL9003 Signal White				
RAL8019	RAL8019 Grey Brown	RAL9004	RAL9004 Signal Black				



Photocontrol Receptacle		Adjustable Output		Photocontrols		Prewire Leads	
PR3	3 pin NEMA photocontrol receptacle	AO	Field adjustable lumen output	P34	Solid state long life photocontrol (347V)	L03	3ft prewire leads
PR3E	3 pin NEMA photocontrol external receptacle			P48	Solid state long life photocontrol (480V)	L10	10ft prewire leads
PR7	7 pin NEMA dimmable photocontrol receptacle			PCLL	DLL photocontrol	L1H	1.5ft prewire leads
PR7E	7 pin NEMA dimmable photocontrol external receptacle			SH	Shorting cap	L20	20ft prewire leads
						L25	25ft prewire leads
						L30	30ft prewire leads

Surge Protector		Factory Programmed Driver		Label		House Side Shield Accessory	
20KV	20kV/10kA surge protection	FPD80	Factory programmed to 80 percent of base wattage	NL1X1	1"x 1" NEMA label	PHSS120	House side shield: based on SD-90-120 (120°)
		FPD85	Factory programmed to 85 percent of base wattage	NL2X2	2"x 2" NEMA label		
		FPD90	Factory programmed to 90 percent of base wattage				
		FPD95	Factory programmed to 95 percent of base wattage			PHSS90	House side shield: based on SD-90-90 (90°)

This is a dynamic specification sheet that is based on certain selections made by the user. All results generated are for informational purposes only. The user should validate the results with its agency sales representative to determine whether the product has been configured correctly before ordering. Acuity Brands Lighting is not responsible for any loss resulting from product configuration errors.

Not all versions of the product are available with all options.

Specifications subject to change without notice.

Actual performance may differ as a result of end-user environment and application.

All values are design or typical values, measured under laboratory conditions at 25 °C.

See the full specification sheet at the product page link above for full product information and detailed ordering information.

Certain airborne contaminants can diminish the integrity of acrylic and/or polycarbonate.

Visit: <http://www.acuitybrandslighting.com/library/ll/documents/specsheets/acrylic-polycarbonate-compatibility.pdf> for Acrylic-Polycarbonate Compatibility table for suitable uses.

All trademarks referenced are property of their respective owners.

