



Catalog No. U5U2-325-6

### Product Details

UPC: 783786756827

Details: Aluminum Compression Pin Terminals - U5 Series, Conductor Size Aluminum - 2 Stranded, 2 ACSR, 2 Compressed, 1 Solid. Installing Dies TU, 52, BG, 243, 5/8. Solid Copper Pin (.324 inch Diameter), Pin Length 6 inches. Contains Oxide Inhibiting Compound. Red Caps.



### Product Details

#### Details

Catalog No.	U5U2-325-6	UPC	783786756827
Description	AL COMP 6IN PIN TERM 2STR 1SOL .324	GSA Compliance	No
Std. Package Weight	0.240 LB	Discount Schedule	93
Product Family	93I	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	No standard price available. Book price displayed
Brand Name	HOMAC	Package Qty.	1
Minimum Order Qty.	450	Country Or Territory Of Origin	United States

General Characteristics

Category	Wire connectors
Special Features	Contains Oxide Inhibiting Compound
Application	Wide Application in Connecting Aluminum and ACSR to Copper Alloy Equipment Clamps, Designed for use with Copper.
Connection	Compression
Material	Aluminum, with Copper Pin
Finish	Bare Body, Tin-Plated Pin
Insulation	None

Dimensions and Classifications

Brand Name	Homac
Size	Pin Length 6 inches.
Wire Size	AL #2 STR AWG , #2 ACSR AWG , #2 COMPR AWG , #1 SOL AWG

