



Catalog No. ULSK2

Product Details



UPC: 783786755257

Details: Aluminum Flood-Seal In-Line Compression Splice Kits, conductor size 2 AL9CU, includes Splice, Insulating Cap and Rocket, Silicone Grease and Instruction Sheet

Product Details

Details

Catalog No.	ULSK2
Description	AL FLOODSEAL INLINE COMP SPLICE 2
Std. Package Weight	1.000 LB
Product Family	90A
Restock Fee	
Customer Reference No.	
Brand Name	HOMAC
Minimum Order Qty.	100


UPC	783786755257
GSA Compliance	No
Discount Schedule	90
CCC	
Currency	USD
Notes	No standard price available. Book price displayed
Package Qty.	1
Country Or Territory Of Origin	United States

General Characteristics

Category	Wire or cable compression splice
Special Features	Prefilled with Oxide Inhibitor and topped with color-coded end caps. Prevents oxidation and keeps out moisture. Solid Center Stops. Easy cable insertion. All splices are marked with installation die codes and compression locations for easy identificaton and installation. Tough Stabilized Nylon Sleeves Resist Installing-tool Pressure and Provide Reliable 600V insulaton.
Connection	Compression
Conductor Range	#2 AWG
Number Of Conductors	2
Material	Aluminum Splice with Rubber Cover
Insulation	yes

Dimensions and Classifications

Brand Name	Homac
------------	-------

 by ABB  
[electrification.us.abb.com](https://electrification.us.abb.com)

Created On: 06/17/2025