



Catalog No. W20-1FC

### Product Details

UPC: 783786332038

Details: Aluminum Service Entrance Wedge Clamp and Slider for Wire Range: 1/0-4 ACSR, 1/0-4 AAAC, 2/0 Str.-2 Sol. Flexible Bail, Color Code Blue



### Product Details

#### Details


Catalog No.	W20-1FC	UPC	783786332038
Description	AL SERVENTR WDGE CLAMP/SLDR 1/0-4 F	GSA Compliance	No
Std. Package Weight	0.240 LB	Discount Schedule	97
Product Family	97E	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	No standard price available. Book price displayed
Brand Name	BLACKBURN MECHANICAL	Package Qty.	50
Minimum Order Qty.	50	Country Or Territory Of Origin	Mexico

General Characteristics

Category	Cable gland connector
Special Features	Drop wire may be cut to exact length for adjustments in drop wire sag. Can be attached to bare neutral at any point in the span. Flexible and rigid bails grip ACSR, AAC and AAAC Conductors.
Application	Dead-End Self-supporting Drop Wire
Conductor Range	1/0 to #4 ACSR AWG , 1/0 to #4 AAAC AWG , 2/0 STR AWG , #2 SOL AWG
Number Of Conductors	1
RoHS	RoHS3 Compliant
REACH	REACH 247 Compliant
TSCA	TSCA Section 6(h) Compliant
Insulation	None
Mounting	Yes
Connection	Tension
Environmental Conditions	All Seasons / Conditions

Dimensions and Classifications

Brand Name	Blackburn
Size	Length 18-1/2 in X Depth Flexible

  
by ABB  
[electrification.us.abb.com](http://electrification.us.abb.com)

Created On: 03/27/2026